

Zentrum für Paraplegie (2016)

Originalarbeiten

1. Aigner A, Curt A, Tanadini LG, Maathuis MH (2016) Concurrent validity of single and groups of walking assessments following acute spinal cord injury. *Spinal Cord*, doi: 10.1038/sc.2016.148
2. Arnet U, Hinrichs T, Lay V, Bertschy S, Frei H, Brinkhof MW; SwiSCI study group. (2016) Determinants of handbike use in persons with spinal cord injury: results of a community survey in Switzerland. *Disabil Rehabil*, 38(1):81-6
3. Awai L, Curt A. (2016) Locomotor recovery in spinal cord injury - insights beyond walking speed and distance. *J Neurotrauma*, 33(15):1428-35
4. Brinkhof MW, Al-Khodairy A, Eriks-Hoogland I, Fekete C, Hinrichs T, Hund-Georgiadis M, Meier S, Scheel-Sailer A, Schubert M, Reinhardt JD. (2016) Health conditions in people with spinal cord injury: Contemporary evidence from a population-based community survey in Switzerland. *J Rehabil Med*, 48(2):197-209
5. Brinkhof MW¹, Fekete C, Chamberlain JD, Post MW, Gemperli A; SwiSCI Study Group. Jordan X, Léger B, Baumberger M, Gmünder HP, Curt A, Schubert M, Hug K, Hund-Georgiadis M, Koch HG, Landolt H, Koch H, Brach M, Stucki G, Brinkhof M, Thyrian C. (2016) Swiss national community survey on functioning after spinal cord injury: Protocol, characteristics of participants and determinants of non-response. *J Rehabil Med.*, 48(2):120-30
6. Brogioli M, Popp WL, Albisser U, Brust AK, Frotzler A, Gassert R, Curt A, Starkey ML (2016) Novel sensor technology to assess independence and limb-use laterality in cervical spinal cord injury. *J Neurotrauma*, 33(21):1950-1957
7. Brogioli M, Popp WL, Schneider S, Albisser U, Brust AK, Frotzler A, Gassert R, Curt A, Starkey ML. (2016) Multi-Day Recordings of Wearable Sensors Are Valid and Sensitive Measures of Function and Independence in Human Spinal Cord Injury. *J Neurotrauma*, DOI: 10.1089/neu.2016.4583
8. Brogioli M, Schneider S, Popp WL, Albisser U, Brust AK, Velstra IM, Gassert R, Curt A, Starkey ML. (2016) Monitoring Upper Limb Recovery after Cervical Spinal Cord Injury: Insights beyond Assessment Scores. *Front Neurol.*, 7:142
9. Cragg JJ, Haefeli J, Jutzeler CR, Röhrich F, Weidner N, Saur M, Maier DD, Kalke YB, Schuld C, Curt A, Kramer JK (2016) Effects of Pain and Pain Management on Motor Recovery of Spinal Cord-Injured Patients: A Longitudinal Study. *Neurorehabil Neural Repair*, 30(8):753-6130(8):753-61
10. Dietz V, Schwab ME. (2016) From the rodent spinal cord injury model to human application: Promises and challenges. *J Neurotrauma*, doi: 10.1089/neu.2016.4513
11. Franz S, Kirshblum SC, Weidner N, Rupp R, Schuld C; EMSCI study group. (2016) Motor levels in high cervical spinal cord injuries: Implications for the International Standards for Neurological Classification of Spinal Cord Injury. *J Spinal Cord Med*, 39(5):513-7
12. Freund P, Friston K, Thompson AJ, Stephan KE, Ashburner J, Bach DR, Nagy Z, Helms G, Draganski B, Mohammadi S, Schwab ME, Curt A, Weiskopf N. (2016) Embodied neurology: an integrative framework for neurological disorders. *Brain*, 139(Pt 6):1855-61
13. Geyh S¹, Kunz S, Müller R, Peter C; SwiSCI Study Group. Deriaz O, Baumberger M, Gmünder HP, Curt A, Schubert M, Hug K, Hund-Georgiadis M, Koch HG, Styger U, Landolt H, Schaumann-Von Stosch R, Brach M, Stucki G, Brinkhof M, Thyrian C. (2016) Describing functioning and health after spinal cord injury in the light of psychological-personal factors. *J Rehabil Med.*, 48(2):219-34

14. Grabher P, Mohammadi S, Trachsler A, Friedl S, David G, Sutter R, Weiskopf N, Thompson AJ, Curt A, Freund P. (2016) Voxel-based analysis of grey and white matter degeneration in cervical spondylotic myelopathy. *Sci Rep*, 6:24636
15. Grassner L, Wutte C, Klein B, Mach O, Riesner S, Panzer S, Vogel M, Bühren V, Strowitzki M, Vastmans J, Maier D. (2016) Early decompression (< 8 h) after traumatic cervical spinal cord injury improves functional outcome as assessed by Spinal Cord Independence Measure (SCIM) after 1 year. *J Neurotrauma*, 33(18):1658-66
16. Hinrichs T1, Prodinger B, Brinkhof MW, Gemperli A; SwiSCI study group. Jordan X, Léger B, Baumberger M, Gmünder HP, Curt A, Schubert M, Hund-Georgiadis M, Hug K, Koch HG, Landolt H, Koch H, Brach M, Stucki G, Brinkhof M, Thyrian C. (2016) Subgroups in epidemiological studies on spinal cord injury: Evaluation of international recommendations in the Swiss Spinal Cord Injury Cohort Study. *J Rehabil Med.*, ;48(2):141-8
17. Ionta S, Villiger M, Jutzeler CR, Freund P, Curt A, Gassert R. (2016) Spinal cord injury affects the interplay between visual and sensorimotor representations of the body. *Sci Rep*, 6:20144
18. Jarrahi B, Gassert R, Wanek J, Michels L, Mehnert U, Kollias SS. (2016) Design and Application of a New Automated Fluidic Visceral Stimulation Device for Human fMRI Studies of Interoception. *IEEE J Transl Eng Health Med*, 4:2000108
19. Jutzeler CR, Huber E, Callaghan MF, Luechinger R, Curt A, Kramer JL, Freund P (2016) Association of pain and CNS structural changes after spinal cord injury. *Sci Rep*, 6:18534
20. Jutzeler CR, Rosner J, Rinert J, Kramer JL, Curt A. (2016) Normative data for the segmental acquisition of contact heat evoked potentials in cervical dermatomes. *Sci Rep.*, 6:34660
21. Killeen T, Easthope CS, Filli L, Linnebank M, Curt A, Bolliger M, Zörner B. (2016) Modulating Arm Swing Symmetry with Cognitive Load: A Window on Rhythmic Spinal Locomotor Networks in Humans? *J Neurotrauma*, DOI: 10.1089/neu.2016.4554
22. Killeen T, Rosner J, Jutzeler CR, Hupp M, Heilbronner R, Curt A. (2016) Spontaneous resolution of an extensive posttraumatic syrinx. *Neurology*, 87(12):1299-301
23. Knüpfer SC, Liechti MD, Gregorini F, De Wachter S, Kessler TM, Mehnert U. (2016) Sensory function assessment of the human male lower urinary tract using current perception thresholds. *Neurourol Urodyn*, doi: 10.1002/nau.22956
24. Leitner L, Guggenbühl-Roy S, Knüpfer SC, Walter M, Schneider MP, Tornic J, Sammer U, Mehnert U, Kessler TM. (2016) More Than 15 Years of Experience with Intradetrusor OnabotulinumtoxinA Injections for Treating Refractory Neurogenic Detrusor Overactivity: Lessons to Be Learned. *Eur Urol*, 70(3):522-8
25. Leitner L, Sammer U, Walter M, Knüpfer SC, Schneider MP, Seifert B, Tornic J, Mehnert U, Kessler TM. (2016) Antibiotic prophylaxis may not be necessary in patients with asymptomatic bacteriuria undergoing intradetrusor onabotulinumtoxinA injections for neurogenic detrusor overactivity. *Sci Rep.*, 6:33197
26. Leitner L, Walter M, Jarrahi B, Wanek J, Diefenbacher J, Michels L, Liechti MD, Kollias SS, Kessler TM, Mehnert U. (2016) A novel infusion-drainage device to assess lower urinary tract function in neuro-imaging. *BJU Int.*, 119(2):305-316
27. Leitner L, Walter M, Sammer U, Knüpfer SC, Mehnert U, Kessler TM. (2016) Urodynamic Investigation: A Valid Tool to Define Normal Lower Urinary Tract Function? *PLoS One*, 11(10):e0163847
28. Mehnert U, de Kort LM, Wöllner J, Kozomara M, van Koevinge GA, Kessler TM. (2016) Effects of onabotulinumtoxinA on cardiac function following intradetrusor injections. *Exp Neurol*, 285(Pt B):167-172
29. Pavese C, Schneider MP, Schubert M, Curt A, Scivoletto G, Finazzi-Agrò E, Mehnert U, Maier D, Abel R, Röhrich F, Weidner N, Rupp R, Kessels AG, Bachmann LM, Kessler TM. (2016) Prediction of Bladder Outcomes after Traumatic Spinal Cord Injury: A Longitudinal Cohort Study. *PLoS Med*, 13(6):e1002041
30. Peter C1, Schulenberg SE, Buchanan EM, Prodinger B, Geyh S; SwiSCI Study Group. Dériaz O, Baumberger M, Gmünder HP, Curt A, Schubert M, Hug K, Hund-Georgiadis M, Koch HG, Styger U, Landolt H, Schaumann-Von Stosch R, Brach M, Stucki G, Brinkhof M, Thyrian C. (2016) Rasch analysis of measurement instruments capturing psychological personal factors in persons with spinal cord injury. *J Rehabil Med.*, 48(2):175-88.

31. Popp WL, Brogioli M, Leuenberger K, Albisser U, Frotzler A, Curt A, Gassert R, Starkey ML (2016) A novel algorithm for detecting active propulsion in wheelchair users following spinal cord injury. *Med Eng Phys*, 38(3):267-74
32. Popp WL, Lambercy O, Müller C, Gassert R. (2016) Effect of handle design on movement dynamics and muscle co-activation in a wrist flexion task. *Int. J Industrial Ergonomics*, 56: 170–180
33. Prodingler B, Ballert CS, Brach M, Brinkhof MW, Cieza A, Hug K, Jordan X, Post MW, Scheel-Sailer A, Schubert M, Tennant A, Stucki G, Jordan X, Léger B, Baumberger M, Gmünder HP, Curt A, Schubert M, Hund-Georgiadis M, Hug K, Koch HG, Landolt H, Koch H, Brach M, Stucki G, Brinkhof M, Thyrian C. (2016) Toward standardized reporting for a cohort study on functioning: The Swiss Spinal Cord Injury Cohort Study. *J Rehabil Med*, 48(2):189-96
34. Prodingler B1, Ballert CS, Cieza A; SwiSCI Study Group. Jordan X, Léger B, Baumberger M, Gmünder HP, Curt A, Schubert M, Hund-Georgiadis M, Hug K, Koch HG, Landolt H, Koch H, Brach M, Stucki G, Brinkhof M, Thyrian C. (2016) Setting up a cohort study of functioning: From classification to measurement. *J Rehabil Med.*, 48(2):131-40
35. Riener R. (2016) The Cybathlon promotes the development of assistive technology for people with physical disabilities. *J Neuroeng Rehabil*, 13(1):49
36. Schrafl-Altermatt M, Dietz V, Bolliger M. (2016) Effect of locomotor training on exhaustion of leg muscle activity in chronic complete spinal cord injury. *J Neurotrauma*, DOI: 10.1089/neu.2016.4627
37. Schulz C, Franz S, Brüggemann K, Heutheaus L, Weidner N, Kirshblum SC, Rupp R; EMSCI study group. (2016) International standards for neurological classification of spinal cord injury: impact of the revised worksheet (revision 02/13) on classification performance. *J Spinal Cord Med*, 39(5):504-12
38. Sybesma W, Zbinden R, Chanishvili N, Kutateladze M, Chkhotua A, Ujmajuridze A, Mehnert U, Kessler TM. (2016) Bacteriophages as Potential Treatment for Urinary Tract Infections. *Front Microbiol*, 7:465
39. Tanadini L, Steeves J, Curt A, Hothorn T. (2016) Autoregressive transitional ordinal model to test for treatment effect in neurological trials with complex endpoints. *BMC Medical Research Methodology*, 16(1):149
40. van der Lely S, Stefanovic M, Schmidhalter MR, Pittavino M, Furrer R, Liechti MD, Schubert M, Kessler TM, Mehnert U. (2016) Protocol for a prospective, randomized study on neurophysiological assessment of lower urinary tract function in a healthy cohort. *BMC Urol.*, 16(1):69
41. Vaughan D, Brogioli M, Maier T, White A, Waldron S, Rittweger J, Toigo M, Wettstein J, Laczko E, Flück M. (2016) The Angiotensin Converting Enzyme Insertion/Deletion Polymorphism Modifies Exercise-Induced Muscle Metabolism. *PLoS One*, 11(3):e0149046.
42. Wirz M, Mach O, Maier D, Benito-Penalva J, Taylor J, Esclarin A, Dietz V. (2016) Effectiveness of automated locomotor training in patients with acute incomplete spinal cord injury: A randomized controlled multicenter trial. *J Neurotrauma*, DOI: 10.1089/neu.2016.4643
43. Wittmann F, Held JP, Lambercy O, Starkey ML, Curt A, Höver R, Gassert R, Luft AR, Gonzenbach RR (2016) Self-directed arm therapy at home after stroke with a sensor-based virtual reality training system. *J Neuroeng Rehabil*, 13(1):75
44. Zörner B, Filli L, Reuter K, Kapitza S, Lörincz L, Sutter T, Weller D, Farkas M, Easthope CS, Czaplinski A, Weller M, Linnebank M. (2016) Prolonged-release fampridine in multiple sclerosis: Improved ambulation effected by changes in walking pattern. *Multiple Sclerosis Journal*, 22(11) 1463–1475

Reviews

1. Dietz V, Schrafl-Altermatt M. (2016) Control of functional movements in healthy and post-stroke subjects: Role of neural interlimb coupling. *Clin Neurophysiol*, 127(5):2286-93
2. Dietz V. (2016) Improving outcome of sensorimotor functions after traumatic spinal cord injury. *F1000Res*, doi: 10.12688/f1000research.8129.1

3. Gross T, Schneider MP, Bachmann LM, Blok BF, Groen J, Hoen LA, Castro-Diaz D, Padilla Fernández B, Del Popolo G, Musco S, Hamid R, Ecclestone H, Karsenty G, Phé V, Pannek J, Kessler TM (2016) Transcutaneous Electrical Nerve Stimulation for Treating Neurogenic Lower Urinary Tract Dysfunction: A Systematic Review. *Eur Urol*, 69(6):1102-11
4. Maggioni S, Melendez-Calderon A, van Asseldonk E, Klamroth-Marganska V, Lünenburger L, Riener R, van der Kooij H. (2016) Robot-aided assessment of lower extremity functions: a review. *J Neuroeng Rehabil*, 13(1):72

Corrigendum

1. Ionta S, Villiger M, Jutzeler CR, Freund P, Curt A, Gassert R. (2016) Spinal cord injury affects the interplay between visual and sensorimotor representations of the body. *Sci Rep.*, 7:24693

Buch

1. Reinkensmeyer D, Dietz V (2016) *Neurorehabilitation Technology*, 2nd Edition, Springer Intl Publishing

Buchkapitel

1. Awai L, Dietz V, Curt A (2016) Rehabilitation-Dependent Neural Plasticity After Spinal Cord Injury. In: *Translational Neuroscience*, Springer; 439-456, Editor Mark H. Tuszynski
2. Dietz V (2006) Clinical aspects for the application of robotics in locomotor neurorehabilitation. In: *Neurorehabilitation Technology*, edited by D Reinkensmeyer and V Dietz, 2nd Edition, Springer Intl Publishing, pp 209-222.
3. Luft A, Bastian AJ, Dietz V (2016) Learning in the damaged brain/spinal cord: Neuroplasticity. In: *Neurorehabilitation Technology*, edited by D Reinkensmeyer and V Dietz, 2nd Edition, Springer Intl Publishing, pp 3-17.
4. Schrafl-Altermatt M, Dietz V (2016) Normal and impaired cooperative hand movements: Role of neural coupling. In: *Neurorehabilitation Technology*, edited by D Reinkensmeyer and V Dietz, 2nd Edition, Springer Intl Publishing, pp 97-105.